


# DELUXE STITCHER

C O M P A N Y I N C





## Swivel-Style Stitcher Heads




### **Model 26/26D Head:**

**Capacity** - Two sheets to 1/4" (6mm)  
**Wire Sizes** - 21-28 Gauge Round and 21x25 Flat  
**Crown Sizes Available** - 5/16" (8mm),  
 3/8" (10mm), 1/2" (13mm), 5/8 (16mm)  
**Minimum Head Centers** - 1-7/8" (48mm)  
 for all material thicknesses

### **Model 18D Head:**

**Capacity** - Two sheets to 9/16" (14mm)  
**Wire Sizes** - 20-28 Gauge Round, 19x21-1/2,  
 20x25, 20x24 and 21x25 Flat,  
 Hybar I & II and .020x.103 Ribbon Wire  
**Crown Sizes Available** - 3/8" (10mm),  
 1/2" (13mm), 5/8" (16mm), 3/4" (20mm)  
**Minimum Head Centers** - 3" (75mm)  
 for all material thicknesses

## Side Feed-Style Stitcher Heads



### **Model G5 Head:**

**Capacity** - Two sheets to 13/64" (5mm)  
**Wire Sizes Available** - 25-28 Gauge Round  
**Crown Sizes Available** - 1/2" (12mm),  
 13/64" (5mm) Loop  
**Minimum Head Centers** - 1-1/2" (39mm)  
 up to 1/32" (1mm) material thickness

### **Model G8 Head:**

**Capacity** - Two sheets to 5/16" (8mm)  
**Wire Sizes Available** - 23-28 Gauge Round  
 and 21x25 Flat  
**Crown Sizes Available** - 1/2" (13mm),  
 13/64" (5mm) Loop  
**Minimum Head Centers** - 2-3/64" (52mm)  
 up to 1/16" (1.5mm) material thickness

### **Model G20 Head:**

**Capacity** - Two sheets to 3/4" (20mm)  
**Wire Sizes Available** - 20-28 Gauge Round and  
 19x21-1/2, 20x25, 21x25 and 20x24 Flat  
**Crown Sizes Available** - 1/2" (14mm),  
 5/8" (16mm), 13/64" (5mm) Loop  
**Minimum Head Centers** - 2-3/4" (70mm)  
 up to 3/16" (4mm) material thickness

### **Model DB45 Head:**

**Capacity** - Two sheets to 1/8" (3mm)  
**Wire Sizes Available** - 25-28 Gauge Round  
**Crown Sizes Available** - 7/16" (10mm)  
**Minimum Head Centers** - 1-3/4" (45mm)  
for all material thicknesses

### **Model DB75 Head:**

**Capacity** - Two sheets to 13/64" (5mm)  
**Wire Sizes Available** - 20-28 Gauge Round  
**Crown Sizes Available** - 1/2" (14mm)  
**Minimum Head Centers** - 3" (75mm)  
for all material thicknesses

### **Model DB75V Head:**

**Capacity** - Two sheets to 1/4" (6mm)  
**Wire Sizes Available** - 20-28 Gauge Round  
**Crown Sizes Available** - 1/2" (14mm)  
**Minimum Head Centers** - 3" (75mm)  
for all material thicknesses



## **DB-Style Stitcher Heads**

For use on: Muller, Osako and Purlux Stitchers

### **Ministitcher:**

**Capacity** - Two sheets to 1/4" (6mm)  
with 25 gauge wire. Two sheets to 1/8" (3mm)  
with 21x25 gauge wire  
**Wire Sizes Available** - 23-28 Round and  
21x25 Flat. 25 Round Standard  
**Crown Sizes Available** - 5/16" (8mm),  
3/8" (10mm), 1/2" (13mm), 5/8" (16mm)

### **StitchMaster:**

**Capacity** - Two sheets to 1/4" (6mm)  
with 25 gauge wire. Two sheets to 1/8" (3mm)  
with 21x25 gauge wire  
**Wire Sizes Available** - 23-28 Round and  
21x25 Flat. 25 Round Standard  
**Crown Sizes Available** - 5/16" (8mm),  
3/8" (10mm), 1/2" (13mm), 5/8" (16mm)  
**Minimum Head Centers** - 4" (102mm) for multi-head units


### **StitchMaster with G8 Head:**

**Capacity** - Two sheets to 5/16" (8mm) with 24 gauge wire  
**Wire Sizes Available** - 23-28 Round and  
21x25 Flat. 25 Round Standard  
**Crown Sizes Available** - 1/2" (13mm), 13/64" (5mm) Loop  
**Minimum Head Centers** - 4" (102mm) for multi-head units

## **Special Application Stitcher Machines**



# M-Series Stitcher Machines



## M2 Wire Stitcher

**Capacity** - G8 Head: Two sheets to 5/16" (8mm)

26D Head: Two sheets to 1/4" (6mm)

**Number of Heads** - One

## M19 Wire Stitcher

**Capacity** - G20 Head: Two sheets to 3/4" (20mm)

18D Head: Two sheets to 9/16" (6mm)

**Number of Heads** - One

## M7 Wire Stitcher:

**Capacity** - Two sheets to 7/8" (22mm)

**Number of Heads** - One

## M30 Wire Stitcher:

**Capacity** - Two sheets to 1-1/4" (32mm)

Up to 2" (50mm) Stab Stitch

**Number of Heads** - One

## M17 Wire Stitcher:

**Capacity** - G8 Head: Two sheets to 5/16" (8mm)

26D Head: Two sheets to 1/4" (6mm)

**Max Number of Heads** - Eight G8, Ten 26D

Standard with two G8 or two 26D Heads

## M27 Wire Stitcher:

**Capacity** - G20 Head: Two sheets to 3/4" (20mm)

18D Head: Two sheets to 9/16" (14mm)

**Max Number of Heads** - Four G20, Four 18D

Standard with two G20 or two 18D Heads

## 18AW Wire Stitcher:

**Capacity** - Two sheets to 9/16" (14mm)

**Max Number of Heads** - Eight G20, Ten 18D

Standard with four G20 or four 18D Heads



DeLuxe Stitcher Company, Inc.  
6635 West Irving Park Road  
Chicago, Illinois 60634-2410 U.S.A.  
Phone: 800-634-0810 • 773-777-6500  
Fax: 800-417-9251 • 773-777-0156  
E-mail: [info@deluxestitcher.com](mailto:info@deluxestitcher.com)  
<http://www.deluxestitcher.com>

Your Authorized Dealer:

**DOUBLE**  
EQUIPMENT

Double Equipment  
8740 Pawnee Rd  
Homerville, OH 44235  
Phone: 330-948-2050  
Fax: 330-948-2078  
Web: [www.dblequip.com](http://www.dblequip.com)  
Email: [info@dblequip.com](mailto:info@dblequip.com)



DELUXE STITCHER

COMPANY INC.

DBSPB03E